

# Google Classroom Accessibility Conformance Report

## International Edition

(Based on VPAT® Version 2.5)

**Name of Product/Version:** Google Classroom Web Application

**Report Date:** October 2025

**Product Description:** Google Classroom helps educators create engaging learning experiences they can personalize, manage, and measure.

**Contact Information:** apps-accessibility@google.com

**Notes:** none

### Evaluation Methods Used:

Evaluation of the product involved a combination of automated, manual, and functional testing against the applicable success criteria within the Web Content Accessibility Guidelines (WCAG) 2.2 Conformance Level A and AA. The application was tested using a set of use cases designed to cover the components and functionality of use flows. Assistive technologies used include: ChromeVox with the Chrome browser and platform assistive technologies for magnification, keyboard navigation, and dark mode.

## Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes) Level AA (Yes) Level AAA (No )
<a href="#">Web Content Accessibility Guidelines 2.2</a>	Level A (Yes) Level AA (Yes) Level AAA (No )
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	(Yes)
<a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11)</a> AND <a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>	(Yes)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

## Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.1.1 Non-text Content</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.1.1 (Web)</li> <li>10.1.1.1 (Non-web document)</li> <li>11.1.1.1.1 (Open Functionality Software)</li> <li>11.1.1.1.2 (Closed Functionality Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: Most non-text content that is presented to the user has a text alternative that serves the equivalent purpose. Exceptions include:</p> <ul style="list-style-type: none"> <li>When importing questions from a PDF into a practice set, the PDF's contents are not read by screen readers.</li> </ul> <p>Authoring Tool: the product allows authors to provide text alternatives for non-text content in generated content.</p>
<p><b>1.2.1 Audio-only and Video-only (Prerecorded)</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.1 (Web)</li> <li>10.1.2.1 (Non-web document)</li> <li>11.1.2.1.1 (Open Functionality Software)</li> <li>11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not contain prerecorded audio-only or video-only media. Users can add accessible media.</p> <p>Authoring Tool: The product allows authors to add alternatives for time-based media that present equivalent information for prerecorded audio-only or video-only media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.2 Captions (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.2 (Web)</li> <li>● 10.1.2.2 (Non-web document)</li> <li>● 11.1.2.2 (Open Functionality Software)</li> <li>● 11.1.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not contain any prerecorded synchronized media (video with audio) that requires captions. Users can add accessible media.</p> <p>Authoring Tool: The product allows authors to provide captions for synchronized media.</p>
<p><b><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.3 (Web)</li> <li>● 10.1.2.3 (Non-web document)</li> <li>● 11.1.2.3.1 (Open Functionality Software)</li> <li>● 11.1.2.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not contain any prerecorded video media that requires audio descriptions or a media alternative. Users can add accessible media.</p> <p>Authoring Tool: The product allows authors to provide appropriate audio description for prerecorded video media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.3.1 Info and Relationships</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.1 (Web)</li> <li>10.1.3.1 (Non-web document)</li> <li>11.1.3.1.1 (Open Functionality Software)</li> <li>11.1.3.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: In most instances, the product ensures that information, structure, and relationships conveyed through presentation can also be determined programmatically or through text. Exceptions include:</p> <ul style="list-style-type: none"> <li>When scheduling an assignment for a later date, the Schedule Time field lacks a visible label and users are not given a preferred format for the time like they are for the date. It is not clear if military time will work, a single number, or if the time needs to use the specific format HH:MM AM/PM.</li> </ul> <p>Authoring Tool: The product provides a mechanism for authors to ensure that information, structure, and relationships conveyed through presentation can also be determined programmatically or through text.</p>
<p><a href="#">1.3.2 Meaningful Sequence</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.2 (Web)</li> <li>10.1.3.2 (Non-web document)</li> <li>11.1.3.2.1 (Open Functionality Software)</li> <li>11.1.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that a correct reading order can be programmatically determined for content whose presentation sequence affects its meaning.</p> <p>Authoring Tool: The product allows authors to generate content with a programmatically determinable and logical reading sequence.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.3.3 Sensory Characteristics</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.3.3 (Web)</li> <li>● 10.1.3.3 (Non-web document)</li> <li>● 11.1.3.3 (Open Functionality Software)</li> <li>● 11.1.3.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that a correct reading order can be programmatically determined for content whose presentation sequence affects its meaning.</p> <p>Authoring Tool: The product allows authors to ensure that generated content meets this criterion.</p>
<p><b><u>1.4.1 Use of Color</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.1 (Web)</li> <li>● 10.1.4.1 (Non-web document)</li> <li>● 11.1.4.1 (Open Functionality Software)</li> <li>● 11.1.4.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not use color as the only visual means of conveying information, indicating an action, or prompting a response.</p> <p>Authoring Tool: The product allows authors to ensure that generated content meets this criterion.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.4.2 Audio Control</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.2 (Web)</li> <li>• 10.1.4.2 (Non-web document)</li> <li>• 11.1.4.2 (Open Functionality Software)</li> <li>• 11.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not include audio that plays automatically.</p> <p>Authoring Tool: The product allows authors to ensure that audio content does not play automatically on page access and/or can be controlled by the user independently of system audio.</p>
<p><b>2.1.1 Keyboard</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: In [some/most] instances, the product ensures that interactive content and functionality is accessible and operable using a keyboard or keyboard emulator.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> <li>• Importing questions from a PDF requires the mouse.</li> </ul> <p>Authoring Tool: The product allows authors to ensure that interactive content within generated content is accessible and operable using a keyboard or keyboard emulator.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.1.2 No Keyboard Trap</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.1.2 (Web)</li> <li>10.2.1.2 (Non-web document)</li> <li>11.2.1.2 (Open Functionality Software)</li> <li>11.2.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: Where a component can receive keyboard focus, the product allows focus to be moved away using only the keyboard.</p> <p>Authoring Tool: The product ensures that generated content does not include components that trap keyboard focus.</p>
<p><a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.1.4 (Web)</li> <li>10.2.1.4 (Non-web document)</li> <li>11.2.1.4.1 (Open Functionality Software)</li> <li>11.2.1.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product uses character key shortcuts that can be turned off, remapped to non-printable keyboard characters (such as Ctrl, Alt, etc.), or that are active only when the intended component has focus.</p> <p>Authoring Tool: The product does not allow authors to include character key shortcuts in generated content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.2.1 Timing Adjustable</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.1 (Web)</li> <li>• 10.2.2.1 (Non-web document)</li> <li>• 11.2.2.1 (Open Functionality Software)</li> <li>• 11.2.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product prevents users (Students) from adjusting time limits in quizzes because they serve an essential purpose.</p> <p>Authoring Tool: The product allows authors (Teachers) to configure time-limited or time-dependent content to meet this criterion.</p>
<p><b>2.2.2 Pause, Stop, Hide</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.2 (Web)</li> <li>• 10.2.2.2 (Non-web document)</li> <li>• 11.2.2.2 (Open Functionality Software)</li> <li>• 11.2.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not contain content that moves, blinks, scrolls, or auto-updates.</p> <p>Authoring Tool: The product provides a mechanism that allows authors to configure generated content to meet this criterion.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>2.3.1 Three Flashes or Below Threshold</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.3.1 (Web)</li> <li>• 10.2.3.1 (Non-web document)</li> <li>• 11.2.3.1 (Open Functionality Software)</li> <li>• 11.2.3.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not contain flashing content.</p> <p>Authoring Tool: The product provides a mechanism that allows authors to configure generated content to meet this criterion.</p>
<p><b><u>2.4.1 Bypass Blocks</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.1 (Web)</li> <li>• 10.2.4.1 (Non-web document) – Does not apply</li> <li>• 11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.1 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product provides skip links and other mechanisms to bypass blocks of content repeated on multiple pages.</p> <p>Authoring Tool: The product does not allow authors to create blocks of content repeated on multiple pages.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.4.2 Page Titled</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.2 (Web)</li> <li>● 10.2.4.2 (Non-web document)</li> <li>● 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>● 11.2.4.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: Pages of the product provide titles that adequately describe their topic or purpose.</p> <p>Authoring Tool: The product does not allow authors to create full pages.</p>
<p><a href="#">2.4.3 Focus Order</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.3 (Web)</li> <li>● 10.2.4.3 (Non-web document)</li> <li>● 11.2.4.3 (Open Functionality Software)</li> <li>● 11.2.4.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: Pages of the product can be navigated sequentially with a focus order that matches the logical reading order.</p> <p>Authoring Tool: The product does not allow authors to modify the focus order of sequentially navigated objects.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.4.4 Link Purpose (In Context)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.4 (Web)</li> <li>• 10.2.4.4 (Non-web document)</li> <li>• 11.2.4.4 (Open Functionality Software)</li> <li>• 11.2.4.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that the purpose of links can be determined from the link text alone or in combination with the surrounding or programmatic context.</p> <p>Authoring Tool: The product allows authors to include links in generated content and provides a mechanism for configuring them to meet this criterion.</p>
<p><a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture.</p> <p>Authoring Tool: The product allows authors to provide alternate methods of operation for generated content that requires multi-point or path-based gestures.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.5.2 Pointer Cancellation</b> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.5.2 (Web)</li> <li>● 10.2.5.2 (Non-web document)</li> <li>● 11.2.5.2 (Open Functionality Software)</li> <li>● 11.2.5.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that functionality on pointer down-event is completed only when the user releases the pointer or allows the user to abort and/or undo the action.</p> <p>Authoring Tool: The product does not allow authors to generate content that does not meet this criterion.</p>
<p><b>2.5.3 Label in Name</b> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.5.3 (Web)</li> <li>● 10.2.5.3 (Non-web document)</li> <li>● 11.2.5.3.1 (Open Functionality Software)</li> <li>● 11.2.5.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that when interface components have visual labels that include text, the provided accessible name contains the visually presented text.</p> <p>Authoring Tool: The product allows authors to generate content in a way that meets this criterion.</p>
<p><b>2.5.4 Motion Actuation</b> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.5.4 (Web)</li> <li>● 10.2.5.4 (Non-web document)</li> <li>● 11.2.5.4 (Open Functionality Software)</li> <li>● 11.2.5.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that functionality triggered by device or user motion can also be operated by conventional user interface components.</p> <p>Authoring Tool: The product does not allow authors to generate content subject to this criterion.</p>

Criteria	Conformance Level	Remarks and Explanations
<b>3.1.1 Language of Page</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.1.1 (Web)</li> <li>10.3.1.1 (Non-web document)</li> <li>11.3.1.1.1 (Open Functionality Software)</li> <li>11.3.1.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports Authoring Tool: Supports	Web: The product ensures that the default human language used on each page can be programmatically determined.  Authoring Tool: The product allows authors to ensure that the default human language for generated content can be programmatically determined.
<b>3.2.1 On Focus</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.2.1 (Web)</li> <li>10.3.2.1 (Non-web document)</li> <li>11.3.2.1 (Open Functionality Software)</li> <li>11.3.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports Authoring Tool: Supports	Web: The product ensures that interface components do not initiate a change of context when receiving focus.  Authoring Tool: The product ensures that interface components in generated content meet this criterion, or provides a mechanism for authors to do so.

Criteria	Conformance Level	Remarks and Explanations
<b>3.2.2 On Input</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports Authoring Tool: Supports	Web: The product ensures that interactive components do not initiate a change in context when the component setting is changed unless followed by an explicit user action such as activation of a button or link unless the user has been advised of this behavior before use.  Authoring Tool: The product ensures that interface components in generated content meet this criterion, or provides a mechanism for authors to do so.
<b>3.2.6 Consistent Help</b> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: Help mechanisms occur in the same order relative to other page content in the product.
<b>3.3.1 Error Identification</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.3.1 (Web)</li> <li>10.3.3.1 (Non-web document)</li> <li>11.3.3.1.1 (Open Functionality Software)</li> <li>11.3.3.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports Authoring Tool: Supports	Web: Where the product automatically detects input errors, the item or field in error is identified and the error is described to the user in text.  Authoring Tool: The product allows authors to generate content that meets this criterion.

Criteria	Conformance Level	Remarks and Explanations
<p><b>3.3.2 Labels or Instructions</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.2 (Web)</li> <li>• 10.3.3.2 (Non-web document)</li> <li>• 11.3.3.2 (Open Functionality Software)</li> <li>• 11.3.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: In most instances where user input is required, the product presents adequate labels or instructions for successfully providing that input. Exceptions include:</p> <ul style="list-style-type: none"> <li>• When scheduling an assignment for a later date, the Schedule Time field lacks a visible label and users are not given a preferred format for the time like they are for the date. It is not clear if military time will work, a single number, or if the time needs to use the specific format HH:MM AM/PM.</li> </ul> <p>Authoring Tool: The product provides a mechanism that allows authors to provide labels and instructions for user input fields in generated content.</p>
<p><b>3.3.7 Redundant Entry</b> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: The product does not request user information in multi-step processes.</p>
<p><b>4.1.1 Parsing</b> (Level A)</p> <p>Applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer ‘Supports’</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.1 (Web)</li> <li>• 10.4.1.1 (Non-web document)</li> <li>• 11.4.1.1.1 (Open Functionality Software)</li> <li>• 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Supports</p>	<p>For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the <a href="#">WCAG 2.0 Editorial Errata</a> and the <a href="#">WCAG 2.1 Editorial Errata</a>.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">4.1.2 Name, Role, Value</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.2 (Web)</li> <li>• 10.4.1.2 (Non-web document)</li> <li>• 11.4.1.2.1 (Open Functionality Software)</li> <li>• 11.4.1.2.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that user interface components have name, role, state, and value information that can be programmatically determined, and whose state, properties, and value can be programmatically set.</p> <p>Authoring Tool: The product allows authors to provide programmatically determinable name, role, state, and value information for interface components in generated content.</p>

## Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.2.4 Captions (Live)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.4 (Web)</li> <li>10.1.2.4 (Non-web document)</li> <li>11.1.2.4 (Open Functionality Software)</li> <li>11.1.2.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not contain any live synchronized media that requires real-time captioning.</p> <p>Authoring Tool: The product does not provide a mechanism for authors to include live synchronized media that would require real-time captioning.</p>
<p><b>1.2.5 Audio Description (Prerecorded)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.5 (Web)</li> <li>10.1.2.5 (Non-web document)</li> <li>11.1.2.5 (Open Functionality Software)</li> <li>11.1.2.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not contain any prerecorded synchronized media that requires audio descriptions.</p> <p>Authoring Tool: The product allows authors to provide appropriate audio description for prerecorded video media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.3.4 Orientation</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.4 (Web)</li> <li>• 10.1.3.4 (Non-web document)</li> <li>• 11.1.3.4 (Open Functionality Software)</li> <li>• 11.1.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product does not restrict its view and operation to a single display orientation, such as portrait or landscape.</p> <p>Authoring Tool: The product does not force generated content into a specific display orientation such as portrait or landscape.</p>
<p><b>1.3.5 Identify Input Purpose</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.5 (Web)</li> <li>• 10.1.3.5 (Non-web document)</li> <li>• 11.1.3.5.1 (Open Functionality Software)</li> <li>• 11.1.3.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that the purpose of input fields that request information about the user, such as name or email, can be programmatically determined.</p> <p>Authoring Tool: The product provides a mechanism that allows authors to configure input fields requesting information about the user in a way that their purpose can be programmatically determined.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.4.3 Contrast (Minimum)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.3 (Web)</li> <li>● 10.1.4.3 (Non-web document)</li> <li>● 11.1.4.3 (Open Functionality Software)</li> <li>● 11.1.4.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: Visual presentation of text and images of text in the product provides a contrast ratio of at least 4.5:1 against adjacent colors.</p> <p>Authoring Tool: The product allows authors to ensure that visual presentation of text and images of text in generated content provides a contrast ratio of at least 4.5:1 against adjacent colors.</p>
<p><b>1.4.4 Resize text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.4 (Web)</li> <li>● 10.1.4.4 (Non-web document)</li> <li>● 11.1.4.4.1 (Open Functionality Software)</li> <li>● 11.1.4.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product allows text to be resized without assistive technology up to 200 percent without loss of content or functionality.</p> <p>Authoring Tool: The product allows authors to generate content that can be resized up to 200 percent, without assistive technology and without loss of content or functionality.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.4.5 Images of Text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.5 (Web)</li> <li>● 10.1.4.5 (Non-web document)</li> <li>● 11.1.4.5.1 (Open Functionality Software)</li> <li>● 11.1.4.5.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: In most instances, the product uses text instead of images of text. Exceptions include:</p> <ul style="list-style-type: none"> <li>● When importing questions from a PDF into a practice set, the PDF's contents are presented as an image.</li> </ul> <p>Authoring Tool: The product provides a mechanism for authors to ensure that images of text in generated content can be visually customized to meet user viewing requirements.</p>
<p><a href="#">1.4.10 Reflow</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.10 (Web)</li> <li>● 10.1.4.10 (Non-web document)</li> <li>● 11.1.4.10 (Open Functionality Software)</li> <li>● 11.1.4.10 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product allows for resizing of content to a minimum width of 320 CSS pixels or vertical height of 256 CSS pixels without loss of content or functionality, and without requiring scrolling in two dimensions except where scrolling is required for content usage such as tables, maps, or diagrams.</p> <p>Authoring Tool: The product provides a mechanism to ensure that generated content allows for resizing to a minimum width of 320 CSS pixels or vertical height of 256 CSS pixels without loss of content or functionality, and without requiring scrolling in two dimensions except where scrolling is required for content usage such as tables, maps, or diagrams.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.4.11 Non-text Contrast</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.11 (Web)</li> <li>• 10.1.4.11 (Non-web document)</li> <li>• 11.1.4.11 (Open Functionality Software)</li> <li>• 11.1.4.11 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: Visual presentation of non-text content in the product has a contrast ratio of at least 3:1 against adjacent colors.</p> <p>Authoring Tool: The product allows authors to ensure that visual presentation of non-text content in the product has a contrast ratio of at least 3:1 against adjacent colors.</p>
<p><b>1.4.12 Text Spacing</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.12 (Web)</li> <li>• 10.1.4.12 (Non-web document)</li> <li>• 11.1.4.12 (Open Functionality Software)</li> <li>• 11.1.4.12 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product supports user changes in text style properties, such as line height or text spacing, without loss of content or functionality.</p> <p>Authoring Tool: The product allows authors to generate content that supports user changes in text style properties, such as line height or text spacing, without loss of content or functionality.</p>
<p><b>1.4.13 Content on Hover or Focus</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.13 (Web)</li> <li>• 10.1.4.13 (Non-web document)</li> <li>• 11.1.4.13 (Open Functionality Software)</li> <li>• 11.1.4.13 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that content triggered by hover or focus becomes and remains visible while triggered, and is dismissed when hover or focus is removed, or can otherwise be dismissed by the user.</p> <p>Authoring Tool: The product does not provide a mechanism for authors to generate content that appears on pointer hover or keyboard focus.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.4.5 Multiple Ways</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.5 (Web)</li> <li>● 10.2.4.5 (Non-web document) – Does not apply</li> <li>● 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>● 11.2.4.5 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product provides multiple ways to navigate through pages in the product except where pages are sequential steps in a process.</p> <p>Authoring Tool: The product does not generate content in a way that makes it subject to this criterion.</p>
<p><b>2.4.6 Headings and Labels</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.6 (Web)</li> <li>● 10.2.4.6 (Non-web document)</li> <li>● 11.2.4.6 (Open Functionality Software)</li> <li>● 11.2.4.6 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: In most instances, headings and labels provided in the product adequately describe the topic or purpose of the content with which they are associated. Exceptions include:</p> <ul style="list-style-type: none"> <li>● When scheduling an assignment for a later date, the Schedule Time field lacks a visible label and users are not shown the preferred format for the time entry.</li> </ul> <p>Authoring Tool: The product allows authors to provide headings and labels that adequately describe the topic or purpose of the content with which they are associated.</p>

Criteria	Conformance Level	Remarks and Explanations
<b>2.4.7 Focus Visible</b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.4.7 (Web)</li> <li>• 10.2.4.7 (Non-web document)</li> <li>• 11.2.4.7 (Open Functionality Software)</li> <li>• 11.2.4.7 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports Authoring Tool: Supports	Web: The product provides a visible indication of keyboard focus for elements on each page.  Authoring Tool: The product does not provide a mechanism for configuring focus indicators for generated content.
<b>2.4.11 Focus Not Obscured (Minimum)</b> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: When user interface components have keyboard focus they are, at minimum, partially visible.
<b>2.5.7 Dragging Movements</b> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: When dragging movement is needed for operation the product allows the functionality to be accomplished by a single pointer without dragging.
<b>2.5.8 Target Size (Minimum)</b> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: The size of the target meets the requirements of this criterion.

Criteria	Conformance Level	Remarks and Explanations
<b>3.1.2 Language of Parts</b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.1.2 (Web)</li> <li>10.3.1.2 (Non-web document)</li> <li>11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>11.3.1.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports Authoring Tool: Supports	Web: Where pages of the product contain text in multiple languages, the language used for each passage can be programmatically determined.  Authoring Tool: The product provides a mechanism for authors to present generated content containing multiple languages in a way that can be programmatically determined.
<b>3.2.3 Consistent Navigation</b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.2.3 (Web)</li> <li>10.3.2.3 (Non-web document) – Does not apply</li> <li>11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>11.3.2.3 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports Authoring Tool: Supports	Web: The product ensures that navigational mechanisms repeated across the product are presented consistently and in the same relative order.  Authoring Tool: The product does not provide a mechanism for authors to include navigation components in generated content.

Criteria	Conformance Level	Remarks and Explanations
<p><b>3.2.4 Consistent Identification</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.2.4 (Web)</li> <li>10.3.2.4 (Non-web document) – Does not apply</li> <li>11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>11.3.2.4 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: The product ensures that components with the same functionality are identified consistently across pages of the product.</p> <p>Authoring Tool: The product allows authors to provide functional components in generated content in a way that meets this criterion.</p>
<p><b>3.3.3 Error Suggestion</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.3.3 (Web)</li> <li>10.3.3.3 (Non-web document)</li> <li>11.3.3.3 (Open Functionality Software)</li> <li>11.3.3.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web: Where the product automatically detects input errors and provides error messages, the product also provides suggestions for correcting each error.</p> <p>Authoring Tool: The product allows authors to provide suggestions for correcting user input errors in generated content.</p>

Criteria	Conformance Level	Remarks and Explanations
<b><u>3.3.4 Error Prevention (Legal, Financial, Data)</u></b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.3.4 (Web)</li> <li>10.3.3.4 (Non-web document)</li> <li>11.3.3.4 (Open Functionality Software)</li> <li>11.3.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports Authoring Tool: Supports	Web: Where the product causes financial transactions and changes to user-controllable data to occur, user input fields are checked for errors, and the user is provided the opportunity to correct them.  Authoring Tool: The product provides a mechanism for authors to generate content that changes user-controllable data in a way that meets this criterion.
<b><u>3.3.8 Accessible Authentication (Minimum)</u></b> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: The product does not require users to complete a cognitive function test during its authentication process.
<b><u>4.1.3 Status Messages</u></b> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.4.1.3 (Web)</li> <li>10.4.1.3 (Non-web document)</li> <li>11.4.1.3 (Open Functionality Software)</li> <li>11.4.1.3 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: Supports Authoring Tool: Supports	Web: When the product provides status messages they are presented to assistive technologies without receiving focus.  Authoring Tool: The product allows authors to generate content that provides status messages in a way that meets this criterion.

**Table 3: Success Criteria, Level AAA**

Notes: Not Evaluated

# Revised Section 508 Report

Notes:

## Chapter 3: [Functional Performance Criteria](#) (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	The product's features mostly allow people without vision to use screen readers to interact with user interface elements except as disclosed in: <ul style="list-style-type: none"><li>• 1.1.1 Non-text Content</li><li>• 1.3.1 Info and Relationships</li><li>• 1.4.5 Images of Text</li><li>• 2.1.1 Keyboard</li><li>• 2.4.6 Headings and Labels</li></ul>
302.2 With Limited Vision	Partially Support	The product's features mostly allow people with vision loss to interact with user interface elements except as disclosed in: <ul style="list-style-type: none"><li>• 1.1.1 Non-text Content</li><li>• 1.3.1 Info and Relationships</li><li>• 1.4.5 Images of Text</li><li>• 2.1.1 Keyboard</li><li>• 2.4.6 Headings and Labels</li><li>• 3.3.2 Labels or Instructions</li></ul>
302.3 Without Perception of Color	Supports	The product's features allow users without perception of color to interact with user interface elements.
302.4 Without Hearing	Supports	The product is usable by people without hearing.
302.5 With Limited Hearing	Supports	The product is usable by people with limited hearing.

Criteria	Conformance Level	Remarks and Explanations
302.6 Without Speech	Supports	The product is usable by people without speech.
302.7 With Limited Manipulation	Partially Supports	The product features mostly allow people with limited manipulation to interact with user interface elements except as disclosed in: <ul style="list-style-type: none"> <li>• 2.1.1 Keyboard</li> <li>• 2.4.6 Headings and Labels</li> </ul>
302.8 With Limited Reach and Strength	Supports	The product's features allow people with limited reach or strength to interact with the user interface.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	The product's features mostly allow people with limited language, cognition, and learning abilities to interact with the user interface except as disclosed in: <ul style="list-style-type: none"> <li>• 1.1.1 Non-text Content</li> <li>• 1.3.1 Info and Relationships</li> <li>• 1.4.5 Images of Text</li> <li>• 2.1.1 Keyboard</li> <li>• 2.4.6 Headings and Labels</li> <li>• 3.3.2 Labels or Instructions</li> </ul>

## Chapter 4: [Hardware](#)

Notes: Not Applicable

## Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
<a href="#">502 Interoperability with Assistive Technology</a>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
502.2.1 User Control of Accessibility Features	Not Applicable	Software does not contain platform features.
502.2.2 No Disruption of Accessibility Features	Not Applicable	The product is not platform software.
<b>502.3 Accessibility Services</b>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	To some degree, objects in the product correctly report their name, role, state, boundary, and description information to assistive technologies, except as disclosed in: <ul style="list-style-type: none"> <li>• 1.3.1 Info and Relationships</li> </ul>
502.3.2 Modification of Object Information	Partially Supports	To some degree, states and properties that can be set by the user are able to be set programmatically except as disclosed in: <ul style="list-style-type: none"> <li>• 2.1.1 Keyboard</li> </ul>
502.3.3 Row, Column, and Headers	Supports	The product properly associates rows, columns, and headers for data tables.
502.3.4 Values	Supports	States and properties that can be set by the user are able to be set programmatically.
502.3.5 Modification of Values	Partially Supports	In the product, values that can be set by the user can mostly be set programmatically, except as disclosed in: <ul style="list-style-type: none"> <li>• 2.1.1 Keyboard</li> </ul>
502.3.6 Label Relationships	Partially Supports	To some degree, component labels in the product are programmatically determinable, except as disclosed in: <ul style="list-style-type: none"> <li>• 1.3.1 Info and Relationships</li> </ul>
502.3.7 Hierarchical Relationships	Supports	Hierarchical relationships for components in the product are programmatically determinable.
502.3.8 Text	Supports	In the product, the content of text objects, text attributes, and the boundary of text are programmatically determinable.

Criteria	Conformance Level	Remarks and Explanations
502.3.9 Modification of Text	Supports	In the product, text that can be set by the user is able to be set programmatically.
502.3.10 List of Actions	Supports	In the product, the list of all actions that can be executed on an object is programmatically determinable.
502.3.11 Actions on Objects	Partially Supports	The product sometimes allows users to perform actions on objects programmatically, except as disclosed in: <ul style="list-style-type: none"> <li>2.1.1 Keyboard</li> </ul>
502.3.12 Focus Cursor	Partially Supports	The product's user interface elements for text editing provide information and mechanisms necessary to track focus, text insertion point, and selection attributes in a way that is programmatically determinable.
502.3.13 Modification of Focus Cursor	Supports	The product's user interface elements for text editing allow for the programmatic modification of tracking focus, text insertion points, and selecting attributes.
502.3.14 Event Notification	Partially Supports	The product makes notifications of events relevant to user interactions available to assistive technologies.
502.4 Platform Accessibility Features	Not Applicable	The product is not platform software.
<b>503 Applications</b>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	The product's user interface follows the values of the user preferences for applicable platform settings.
503.3 Alternative User Interfaces	Not Applicable	The product does not provide an alternative user interface that functions as an assistive technology.
<b>503.4 User Controls for Captions and Audio Description</b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
503.4.1 Caption Controls	Supports	The product provides user controls for the activation of captions at the same menu level as the user controls for volume.
503.4.2 Audio Description Controls	Supports	The product provides user controls for the activation of audio descriptions at the same menu level as the user controls for volume.
<b><u>504 Authoring Tools</u></b>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Supports	The product preserves information required for accessibility that is supported by the destination format when converting content.
504.2.2 PDF Export	Supports	The product is not capable of exporting PDFs.
504.3 Prompts	Supports	The product provides a mode of operation that prompts authors to create content that conforms to WCAG 2.0 levels A and AA success criteria for supported features and file formats.
504.4 Templates	Supports	The product's provided templates allow for content creation that conforms to WCAG 2.0 levels A and AA success criteria for supported features and file formats.

## Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b><u>601.1 Scope</u></b>	Heading cell – no response required	Heading cell – no response required
<b><u>602 Support Documentation</u></b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
602.2 Accessibility and Compatibility Features	Supports	The product's documentation lists and explains how to use the accessibility and compatibility features of Google Classroom.
602.3 Electronic Support Documentation	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	All documentation for Google Classroom is provided electronically.
<b><a href="#">603 Support Services</a></b>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	The <a href="#">Google Disability Support Team</a> can answer questions about accessibility through various support channels.
603.3 Accommodation of Communication Needs	Supports	The <a href="#">Google Disability Support Team</a> can answer questions about accessibility through various support channels.

# EN 301 549 Report

Notes:

## Chapter [4: Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	The product's features mostly allow people without vision to use screen readers to interact with user interface elements except as disclosed in: <ul style="list-style-type: none"><li>• 1.1.1 Non-text Content</li><li>• 1.3.1 Info and Relationships</li><li>• 1.4.5 Images of Text</li><li>• 2.1.1 Keyboard</li><li>• 2.4.6 Headings and Labels</li></ul>
4.2.2 Usage with limited vision	Partially Supports	The product's features mostly allow people with vision loss to interact with user interface elements except as disclosed in: <ul style="list-style-type: none"><li>• 1.1.1 Non-text Content</li><li>• 1.3.1 Info and Relationships</li><li>• 1.4.5 Images of Text</li><li>• 2.1.1 Keyboard</li><li>• 2.4.6 Headings and Labels</li><li>• 3.3.2 Labels or Instructions</li></ul>
4.2.3 Usage without perception of colour	Supports	The product's features allow users without perception of color to interact with user interface elements.
4.2.4 Usage without hearing	Supports	The product is usable by people without hearing.
4.2.5 Usage with limited hearing	Supports	The product is usable by people with limited hearing.

Criteria	Conformance Level	Remarks and Explanations
4.2.6 Usage with no or limited vocal capability	Supports	The product is usable by people without speech.
4.2.7 Usage with limited manipulation or strength	Partially Supports	The product features mostly allow people with limited manipulation or strength to interact with user interface elements except as disclosed in: <ul style="list-style-type: none"> <li>• 2.1.1 Keyboard</li> <li>• 2.4.6 Headings and Labels</li> </ul>
4.2.8 Usage with limited reach	Supports	The product is not free-standing or installed.
4.2.9 Minimize photosensitive seizure triggers	Supports	The product provides at least one mode of operation that minimizes the potential for triggering photosensitive seizures.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	The product's features mostly allow people with limited language, cognition, and learning abilities to interact with the user interface except as disclosed in: <ul style="list-style-type: none"> <li>• 1.1.1 Non-text Content</li> <li>• 1.3.1 Info and Relationships</li> <li>• 1.4.5 Images of Text</li> <li>• 2.1.1 Keyboard</li> <li>• 2.4.6 Headings and Labels</li> <li>• 3.3.2 Labels or Instructions</li> </ul>
4.2.11 Privacy	Supports	The product maintains the privacy of users of these features at the same level as other users.

## Chapter [5: Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2 General</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2.1 Closed functionality</b>	See 5.2 through 13	See information in 5.2 through 13
<b>5.1.2.2 Assistive technology</b>	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
<b>5.1.3 Non-visual access</b>	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	This product does not have any closed functionality.
5.1.3.2 Auditory output delivery including speech	Not Applicable	This product does not have any closed functionality.
5.1.3.3 Auditory output correlation	Not Applicable	This product does not have any closed functionality.
5.1.3.4 Speech output user control	Not Applicable	This product does not have any closed functionality.
5.1.3.5 Speech output automatic interruption	Not Applicable	This product does not have any closed functionality.
5.1.3.6 Speech output for non-text content	Not Applicable	This product does not have any closed functionality.
5.1.3.7 Speech output for video information	Not Applicable	This product does not have any closed functionality.
5.1.3.8 Masked entry	Not Applicable	This product does not have any closed functionality.
5.1.3.9 Private access to personal data	Not Applicable	This product does not have any closed functionality.
5.1.3.10 Non-interfering audio output	Not Applicable	This product does not have any closed functionality.
5.1.3.11 Private listening volume	Not Applicable	This product does not have any closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.12 Speaker volume	Not Applicable	This product does not have any closed functionality.
5.1.3.13 Volume reset	Not Applicable	This product does not have any closed functionality.
5.1.3.14 Spoken languages	Not Applicable	This product does not have any closed functionality.
5.1.3.15 Non-visual error identification	Not Applicable	This product does not have any closed functionality.
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	This product does not have any closed functionality.
5.1.4 Functionality closed to text enlargement	Not Applicable	This product does not have any closed functionality.
5.1.5 Visual output for auditory information	Not Applicable	This product does not have any closed functionality.
<b>5.1.6 Operation without keyboard interface</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.6.1 Closed functionality</b>	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	This product does not have any closed functionality.
5.1.7 Access without speech	Not Applicable	This product does not have any closed functionality.
5.2 Activation of accessibility features	Supports	The method of activating the documented accessibility features is accessible
5.3 Biometrics	Not Applicable	The product does not rely on biological characteristics.
5.4 Preservation of accessibility information during conversion	Supports	The product preserves information required for accessibility that is supported by the destination format when converting content.
<b>5.5 Operable parts</b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.5.1 Means of operation	Not Applicable	The product does not have operable parts.
5.5.2 Operable parts discernibility	Not Applicable	The product does not have operable parts.
<b>5.6 Locking or toggle controls</b>	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	The product does not have locking or toggle controls.
5.6.2 Visual status	Not Applicable	The product does not have locking or toggle controls.
5.7 Key repeat	Not Applicable	The product does not have a repeat function.
5.8 Double-strike key acceptance	Not Applicable	The product does not provide a keyboard or keypad.
5.9 Simultaneous user actions	Not Applicable	The product does not require simultaneous user actions for its operation.

## **Chapter 6: [ICT with Two-Way Voice Communication](#)**

Notes: Not Applicable

## **Chapter 7: [ICT with Video Capabilities](#)**

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>7.1 Caption processing technology</b>	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Supports	The product has a mode of operation to display the available captions.

Criteria	Conformance Level	Remarks and Explanations
7.1.2 Captioning synchronization	Supports	The mechanism to display captions preserves synchronization between the audio and the corresponding captions per requirements.
7.1.3 Preservation of captioning	Supports	The product preserves caption data such that it can be displayed in a manner consistent with clauses 7.1.1 and 7.1.2
7.1.4 Captions characteristics	Supports	The product provides a way for the user to adapt the displayed characteristics of captions to their individual requirements, except where the captions are displayed as unmodifiable characters.
7.1.5 Spoken subtitles	Supports	The product has a mode of operation to provide a spoken output of the available captions, except where the content of the displayed captions is not programmatically determinable.
7.2.1 Audio description playback	Supports	The product enables the user to select and play several audio tracks.
7.2.2 Audio description synchronization	Supports	The product preserves the synchronization between the audio/visual content and the corresponding audio description.
7.2.3 Preservation of audio description	Supports	The product preserves audio description data such that it can be played in a manner consistent with clauses 7.2.1 and 7.2.2.
7.3 User controls for captions and audio description	Supports	The product provides user controls to activate subtitling and audio description at the same level of interaction as the primary media controls.

## Chapter [8: Hardware](#)

Notes: Not Applicable

## Chapter [9: Web](#) (see [WCAG 2.x section](#))

Notes:

## Chapter [10: Non-Web Documents](#)

Notes: Not Applicable

## Chapter [11: Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>11.0 General (informative)</b>	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
<b>11.5 Interoperability with assistive technology</b>	Heading cell – no response required	Heading cell – no response required
<b>11.5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>11.5.2 Accessibility services</b>	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Partially Supports	The product uses some documented platform accessibility services. Refer to the criteria 11.5.2.5 to 11.5.2.17.
11.5.2.5 Object information	Partially Supports	To some degree, objects in the product correctly report their name, role, state, boundary, and description information to assistive technologies, except as disclosed in: <ul style="list-style-type: none"><li>1.3.1 Info and Relationships</li></ul>
11.5.2.6 Row, column, and headers	Supports	The product properly associates rows, columns, and headers for data tables.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.7 Values	Supports	States and properties that can be set by the user are able to be set programmatically.
11.5.2.8 Label relationships	Partially Supports	To some degree, component labels in the product are programmatically determinable, except as disclosed in: <ul style="list-style-type: none"> <li>1.3.1 Info and Relationships</li> </ul>
11.5.2.9 Parent-child relationships	Supports	The product's user interface elements and their parent-child relationships are programmatically determinable.
11.5.2.10 Text	Supports	In the product, the content of text objects, text attributes, and the boundary of text are programmatically determinable.
11.5.2.11 List of available actions	Supports	In the product, the list of all actions that can be executed on an object is programmatically determinable.
11.5.2.12 Execution of available actions	Partially Supports	Most of the available actions of the product's user interface elements can be programmatically executed. Exceptions include: <ul style="list-style-type: none"> <li>2.1.1 Keyboard</li> </ul>
11.5.2.13 Tracking of focus and selection attributes	Partially Supports	The product's user interface elements for text editing provide information and mechanisms necessary to track focus, text insertion point, and selection attributes in a way that is programmatically determinable, with the exceptions found in: <ul style="list-style-type: none"> <li>2.4.7 Focus Visible</li> </ul>
11.5.2.14 Modification of focus and selection attributes	Supports	The product's user interface elements for text editing allow for the programmatic modification of tracking focus, text insertion points, and selecting attributes.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.15 Change notification	Supports	The product makes notifications of changes relevant to user interactions available to assistive technologies.
11.5.2.16 Modifications of states and properties	Partially Supports	The product's user interface elements allow for the programmatic modification of state and properties, with the exceptions found in: <ul style="list-style-type: none"> <li>2.1.1 Keyboard</li> </ul>
11.5.2.17 Modifications of values and text	Supports	The product's user interface elements allow for the programmatic modification of values and text.
<b>11.6 Documented accessibility usage</b>	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	The product is not a platform.
11.6.2 No disruption of accessibility features	Supports	The product does not disrupt documented accessibility features that are defined in platform documentation except when requested to do so by the user during the operation of the software.
11.7 User preferences	Supports	The product's user interface follows the values of the user preferences for applicable platform settings.
<b>11.8 Authoring tools</b>	Heading cell – no response required	Heading cell – no response required
<b>11.8.1 Content technology</b>	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
11.8.3 Preservation of accessibility information in transformations	Supports	Where the product provides restructuring transformations, it preserves accessibility information in the output if equivalent mechanisms exist in the content technology of the output.
11.8.4 Repair assistance	Not Applicable	The product does not contain accessibility checking functionality.

Criteria	Conformance Level	Remarks and Explanations
11.8.5 Templates	Supports	The product's provided templates allow for content creation that conforms to WCAG 2.0 levels A and AA success criteria for supported features and file formats.

## Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>12.1 Product documentation</b>	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	The product documentation lists and explains how to use the accessibility and compatibility features of Google Classroom.
12.1.2 Accessible documentation	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
<b>12.2 Support Services</b>	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	The <a href="#">Google Disability Support Team</a> can answer questions about accessibility through various support channels.
12.2.3 Effective communication	Supports	The <a href="#">Google Disability Support Team</a> can answer questions about accessibility through various support channels.
12.2.4 Accessible documentation	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section

## Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not Applicable

## Legal Disclaimer

*© 2025 Google LLC. As of the date of its publication indicated in the information table at the beginning of this Conformance Report, this Conformance Report represents the current view of Google regarding information about the subject Google product as outlined in the ITI's "VPAT® 2.5" Google cannot guarantee that any information in this Conformance Report will remain accurate after such date of publication, but Google works continuously to monitor the accessibility of its products and provide updates from time to time. Any modification or customization to the subject product may render some or all of this Conformance Report to become inapplicable. This Conformance Report is provided "as is" and for informational purposes only.*